



Global Security Maputo

Land Rover Defender 110 (CAV 100 Series) Armoured Personnel Carrier

CAMAC CAV 100 Series

The CAV 100 Series is the mainstay of our armoured personnel carrier range. Based on the 4.0 tonne GVW RICARDO Land Rover Defender chassis, this rugged 4x4 light armoured vehicle combines all the advantages of Land Rover durability with the superior ballistic qualities of CAMAC Composite Armour.

Powered by a 300 tdi diesel engine, the CAMAC CAV 100 has excellent handling and mobility characteristics both on and off road and will provide essential protection for a standard crew of eight persons. CAMAC CAV 100 is available on a range of configurations suitable for logistics and reconnaissance, peacekeeping and internal security duties.





Global Security Maputo



The Cav 100 is designed to be a secure transport vehicle for urban and uneven terrains and ideal for rescue missions as allows for the wounded to lie down in the back cabin.

The Cav 100 has been engineered to be a reliable resistant SUV for multiple operations, including peace support missions in conflict-zones

Cav 100 provides ample room for a driver, commander and 6 crew members, plus enough room for gear. One of the great advantages of using the Cav 100 is, it keeps Personnel from overheating in high temperatures and/or humid conditions by using dual air-conditioners.

The the Cav 100 suspension allows it to take on different types of terrains regardless of mission; with reinforced suspension and chassis which ensure peace of mind that the passengers are kept moving from harm's way.

For further information please contact:

Dennys Fernandes
+258 84629 0844

dennys@globalsecuritymaputo.com



Global Security Maputo

The Land Rover Armoured Personnel Carrier (Cav 100) Vehicle Specifications:

Upated 300 TDi Diesel Engine, 2.5lt Turbo Diesel.
24 volt electrical system.
Self priming fuel pump.
R380, 5 speed manual gearbox with oil cooler.
Upated Heavy Duty Front and rear Vented Disc Brakes
Salisbury Front and Rear Axles
Power Steering
S-2 Glass Reinforced Phenolic Resin Composite Shell.
Ballistic glass windows.
Front Grille protection.

Air Conditioning split box for front and rear.
235/85/16 E rated heavy duty Tyres
Run flat wheels
Twin opening rear door for easy egress from the vehicle.
Top Cover Sliding Hatch.
Snorkel for Fording.
Air Intake protection.
Fold away rear step.
Range; 600km
Fuel; 13.5L/100km Diesel
Crew; 2+6 (Max 10)
Top speed; 110km/h

Origin	UK
Engine	2.5L Turbocharged, inline 4 Cylinder Diesel Engine
Power	131 hp @ 2200 rpm
Transmission	5 Speed Manual
Suspension	Independent suspension, front and rear
Brakes	Heavy Duty Disk Brakes
Steering	RHD power steering
Drivetrain	4X4,full time
Fuel	Diesel
Tyres	Run flat 235/85R16, E rated to 1440kg per
Weight (empty);	2.960kg
Length;	4.55 m
Width;	1.79 m
Height;	2.30 m
Wheelbase	2.54 m
Turning Circle	13.5m